A3 COLOUR MULTI-FUNCTION PRINTERS

WORKFORCE ENTERPRISE WF-C20600/C20750/C21000





The WorkForce Enterprise WF-C20600 / C20750 / C21000 multi-function printers are on the cutting-edge in enterprise-class printing. Speeds of up to 100 ipm^ make high workload handling a breeze. A yield of up to 100,000 prints[^] enables seamless printing. Environmental impact isn't a cause for concern with a power consumption as low as 300 Watts. Plus, these printers are equipped with Epson's Heat-Free Technology - an innovation that ensures that there is no heat generation while printing. The Epson Print Admin helps control and secure the printing environment. And, features such as wireless printing bring added convenience to the table.







Connect



Direct



Print Yield



Epson Print Admin



WorkForce Enterprise Multi-function Printers WF-C20600/C20750/C21000

Incredible Print Speeds

Speeds of up to 100 ipm[^] help handle high-volume print jobs with minimal effort.

Epson's Heat-Free Technology

A revolutionary technology that ensures zero heat generation while printing. As a result, you get high print speeds, low power consumption, minimal maintenance and more.

A Host of Features

WiFi Direct for wireless printing, Epson Print Admin for a secured printing environment and more.





WORKFORCE PRO WF-C20600/C20750/C21000



Model Number	WF-C20600	WF-C20750	WF-C21000		
Printer Type Printing	Print, Scan, Copy, Fax with ADF				
Printing Technology Nozzle Configuration	Epson's Heat-Free Technology	Cuan Maganta Valleus			
Maximum Resolution	8,676 nozzles each colour (Black 600 x 2,400 dpi	k, Cyan, Magenia, fellow)			
Minimum Ink Droplet Volume	3.5 pl				
Print Speed ¹ ISO 24734, A4, Simplex / Duplex (Black/ Colour)	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm		
ISO 24734.2, A3, Simplex (Black / Colour)	Approx. 37 ipm / 37 ipm	Approx. 45 ipm / 45 ipm	Approx. 54 ipm / 54 ipm		
ISO 24734.2, A3, Duplex (Black / Colour)	Approx. 21 ipm / 21 ipm	Approx. 25.4 ipm / 25.4 ipi			
First Page Out Time (Black / Colour) Printer Language	Approx. 7.6 sec / 7.6 sec (ESC / P-R)	Approx. 7 sec / 7 sec	Approx. 6.2 sec / 6.2 sec		
Emulation	(PCL5 / PCL6) / (PostScript3)				
Maximum Monthly Duty Cycle ⁻² Automatic 2-sided Printing	400,000 pages per month Yes				
Copying	100				
Copy Speed	A 0.0 /0.0	1.4 0.5 (0.0	1.4 0.0 (0.0		
ISO 29183, A4 Simplex (Black / Colour, Flatbed) ISO 24735, A4 Simplex (Black / Colour, 1:1)	Approx. 9.8 sec / 9.9 sec Approx. 60 ipm / 60 ipm	Approx. 9.5 sec / 9.6 sec Approx. 75 ipm / 75 ipm	Approx. 8.8 sec / 8.9 sec Approx. 100 ipm / 100 ipm		
ISO 24735, A4 Duplex (Black / Colour, 1:2, 2:2)	Approx. 60 ipm / 60 ipm	Approx. 75 ipm / 75 ipm	Approx. 100 ipm / 100 ipm		
Maximum Copies from Standalone Maximum Copy Resolution	9,999 copies 600 x 1,200 dpi				
Reduction / Enlargement	25 - 400%, Auto Fit Function				
Copy Paper Size (Flatbed)	A5 to A3 / Ledger				
Maximum Copy Size Scanning	A3				
Scanner Type	Flatbed color image scanner				
Sensor Type	Colour CIS	Colour CIS			
Optical Resolution Maximum Scan Area	600 x 600 dpi 297 x 431.8 mm (11.7 x 17")				
Scanner Bit Depth					
Colour Greyscale	16-bit input, 8-bit output 16-bit input, 8-bit output				
Black & white	16-bit input, 1-bit output				
Scan Features	Scan to Computer (WSD), Scan	to Memory Device			
Scan Speed [Flatbed / ADF (Simplex) / ADF (Duplex)] Monochrome 200 dpi	3.7 sec / 60 ppm / 110 ipm				
Colour 200 dpi	3.7 sec / 60 ppm / 110 ipm				
ADF Function Support Paper Thickness	20. 100 a/m²				
Paper Capacity	150 sheets	38 ~128 g/m² 150 sheets			
Automatic 2-sided Scan / Copy	Yes				
Support Paper Size Fax Function	A5 to A3 / Ledger				
Type of Fax	Walk-up Black-and-white and C	olour Fax Capability			
Receive Memory / Page Memory	6 MB, Page memory up to 550	pages (ITU-T No.1 chart)			
Error Correction Mode Modem Speed / Fax Speed (Data transfer rate)	TTU-T T.30 Up to 33.6 kbps / Approx. 3 sec/page				
Fax Resolution	Up to 200 x 200 dpi				
Black & White	Standard: 8 x 3.85 [dot/mm x lin Ultra Fine: 16 x 15.4 [dot/mm x l		/mm], Super Fine: 8 x 15.4 [dot/mm x line/mm		
Colour	Fine: 200 x 200 dpi, Photo: 200				
Transmission Paper Size Flatbed	A5 to A3 / Ledger				
ADF	A5 to A3 / Ledger				
Receiving Paper Size	HLT, A5, B5, A4, LT, LGL, B4, 27 Up to 2,000 numbers / 200 grou				
Speed Dial / Group Dial Fax Features			mit Reservation / Broadcast Fax (Mono only) /		
		/ Fax to Email / Memory Reception			
Paper Handling Maximum Paper Size	Standard cassette up to A3 / 11	v 17"			
Waximam apor oize	Multi-purpose tray 330.2 x 1200	mm / 13 x 47.2"			
Paper Types		entation Paper Matte, Premium Pre			
Number of Paper Trays		multi-purpose tray, optional high-ca	m² (Note: Gloss Paper is not suitable)		
Input Paper Capacity	2,350 sheets (550 x 4 standard trays, 150 x 1 multi-purpose tray), optional high-capacity input: 3,000 sheets				
Supported Paper Weights	Standard cassette trays: Up to 1 Multi-purpose tray: Up to 350 g/				
Printer Interface	waiti-parpose tray. Op to 550 g/	···			
USB	SuperSpeed USB	DE TV / 40DAGE TO 14"	000 44 - 11-11-11-1		
Network Network Protocol	Ethernet (1000BASE-T / 100BASE-TX / 10BASE-T), Wireless (IEEE 802.11a/b/g/n/ac) TCP/IPv4, TCP/IPv6				
Network Printing Protocol	LPD, IPP, PORT9100, WSD				
Network Management Protocols Security Features	SNMP, HTTP, DHCP, BOOTP, AF WEP 64-bit, WEP128-bit, WPA I	PIPA, PING, DDNS, mDNS, SNTP, S	SLP, WSD, LLTD		
USB Host Function	VVER 04-DIL, VVER 128-DIL, VVPA I	ON (INIF), WHA FOR (AES)			
Type of Direct Printing	Memory Devices				
USB Host Mobile and Remote Printing	USB Host (Scan to memory dev	ice / Storage function)			
Epson Connect	Epson iPrint, Epson Email Print,	Remote Print Driver, Scan to Cloud			
Other Mobile Solutions	Mopria Print Service				
Control Panel CD Screen	22.7 cm (9") TFT Colour LCD				
Printer Software					
Operating System Compatibility Electrical Specifications	Windows XP / Vista / 7 / 8 / 8.1	/ 10, Windows Server 2003 / 2008	/ 2012 / 2016 / 2019, Mac OS X 10.6.x or late		
Rated Voltage	AC 100 - 240 V				
Rated Frequency	50 - 60 Hz				
Power Consumption (Main Unit only) Operating	300 W 300 W				
Standby	12 W				
Sleep	1.5 W				
Power off Noise Level	1.5 W				
PC Printing / Plain Paper Default ³	7.5 B(A), 60 dB(A)				
Consumables Page Yield*4 Ink Cartridge (Black) 50,000 prints x 2	Order Code C13T02Q100	C13T02S100	C13T02Y100		
riis Gartriuge (Diacis) 30,000 PHHS X Z	C13T02Q100 C13T02Q200	C13T02S200	C13T02Y100 C13T02Y200		
nk Cartridge (Cyan)					
Ink Cartridge (Cyan) Ink Cartridge (Magenta) 50,000 (Composite Yield)	C13T02Q300	C13T02S300	C13T02Y300		
		C13T02S300 C13T02S400	C13T02Y300 C13T02Y400		

C12C935171 C12C935181 C12C935401 C12C935411 C12C935861 C12C935041 C12C935081 C12C935161

Options
2/4 Hole Punch Unit / LX3HPU1 ALL
2/3 Hole Punch Unit / LX3HPU2 ALL
Staple Cartridge for Staple
Staple Cartridge for Booklet
Saddle Unit / LX3SU1 EPIL
Staple Finisher / LX3SF1 EPIL
Booklet Finisher / LX3FB1 EPIL
Finisher Bridge Unit / LX3FBU1 EPIL

Finisher / Stapler: Up to 4,000 sheets with offset stacking; Booklet-maker: up to 1,700 sheets (80 g/m²), up to 7 booklets x 20 sheets (90 g/m²); Hole-punch: 2/3 or 2/4 hole-punch

Dimensions & Weight Weight (including supplies): 186 kg (410 lbs)



*1Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



*2The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling

 $\ensuremath{^{*3}\text{Default}}$ mode in accordance with ISO7779 for MFPs.

*4In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity.
Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours have to be installed for printing.

SPECIFICATIONS

WORKFORCE PRO WF-C20600/C20750/C21000

Model Number Function	WF-C20600	WF-C20750	WF-C21000
	F7	107	1.00
Stacking (pages / min)	57	67	90
Shifting (pages / min)	53	57	70
Punching: 2 holes / 3 holes (pages / min)	32	39	48
Punching: 4 holes (pages / min)	29	36	42
Stapling: One-point binding (pages / min)	51	53	53
Stapling: Two-point binding (pages / min)	37	44	44
Saddle stitching (sec / booklet)	80	71	60
Folding (pages / min)	5	5	5

© 2022 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seliko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct as of May 2022.

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1 Murphy Road, Ulsoor, Bangalore 560 008 Tel: 080-4566 5000, Fax: 080-4566 5005 **CALL FOR MORE INFO: EAST** 90730 09167 **SOUTH** Tamil Nadu 98403 01458 AP and Telangana 91009 43676 Kerala 99470 48222 Karnataka 88700 00768 **WEST** Chhattisgarh, Mumbai, Pune, Goa and UPC 99307 82105 Gujarat 96017 82874 **NORTH** Delhi NCR 99536 01069 Rajasthan 82903 53421, 78699 11699 MP 88892 60260, 78699 11699 UP 96169 98054, 99975 98421, 97811 29629 Punjab and Himachal 95361 10831, 99536 01069 Bihar 99030 53860 Jammu and Kashmir 97977 92025



